

Author Index

- A. Larsen, O.F., see Kozin, I.S. 181
Ab Ghani, S., see Zahir, M.H. 351
Adams, F., see Ivanova, E. 7
Aguilar-Caballos, M.P.
—, Gómez-Hens, A. and Pérez-Bendito, D.
Simultaneous kinetic determination of butylated hydroxyanisole and propyl gallate by coupling stopped-flow mixing technique and diode-array detection 173
Angnes, L., see Lima, A.W.O. 325
Aruga, R.
Treatment of responses below the detection limit: some current techniques compared by Factor Analysis on environmental data 255
- Bellagamba, G., see Laganà, A. 87
Ben Ouada, H., see Mlika, R. 283
Bhagwat, A.M., see Bhoir, I.C. 123
Bhoir, I.C.
—, Raman, B., Sundaresan, M. and Bhagwat, A.M.
Separation and estimation of diloxanide furoate and metronidazole in solid dosage form using packed column supercritical fluid chromatography 123
Bonastre, A., see Peris, M. 249
Botsoglou, N.A.
—, Fletouris, D.J., Psomas, I.E. and Mantis, A.I.
Retention behaviour of the sulphoxide, sulphone and 2-amino-sulphone metabolites of albendazole in ion-pair liquid chromatography 115
- Carlsson, K.
—, Jacobsen, H.S., Lynggaard Jensen, A., Stenstrøm, T. and Karlberg, B.
Micro-continuous flow system for wet chemical analysis 35
Casella, I.G.
—, Guascito, M.R., Salvi, A.M. and Desimoni, E.
Catalytic oxidation and flow detection of hydrazine compounds at a nafion/ruthenium(III) chemically modified electrode 333
Chang, X.
—, Su, Z., Yang, D., Gong, B., Pu, Q. and Li, S.
Synthesis and efficiency of a spherical macroporous epoxy-imidazole complexing resin for preconcentrating trace noble metal ions 143
Chen, G., see Chi, Y. 365
Chen, H., see Chi, Y. 365
- Chi, Y.
—, Chen, H. and Chen, G.
Electrochemical reduction of isatic acid at mercury electrodes in aqueous media 365
Chu, X., see Jiang, J.-H. 263
Cooke, C., see Keenan, F. 1
Cooke, M., see Keenan, F. 1
Cretin, M.
— and Fabry, P.
Detection and selectivity properties of Li⁺-ion-selective electrodes based on NASICON-type ceramics 291
- D'Ascenzo, G., see Laganà, A. 87
da Cruz Vieira, I., see Fatibello-Filho, O. 51
Daghbouche, Y.
—, Garrigues, S. and de la Guardia, M.
Liquid chromatography-Fourier transform infrared spectrometric determination of cholesterol in animal greases 97
Danielsson, R.
—, Petersson, L.R. and Frank, A.
Multivariate data analysis as a tool for evaluating emission intensity, background equivalent concentration and detection limit obtained for different plasma positions in direct current plasma-atomic emission spectrometry 211
de la Guardia, M., see Daghbouche, Y. 97
de Voogt, P., see Kozin, I.S. 181
Desimoni, E., see Casella, I.G. 333
Drakopoulos, A.I.
— and Ioannou, P.C.
Spectrofluorimetric study of the acid-base equilibria and complexation behavior of the fluoroquinolone antibiotics ofloxacin, norfloxacin, ciprofloxacin and pefloxacin in aqueous solution 197
du Plessis, H., see van Staden, J.F. 59
Du, H.
— and Stillman, M.J.
Automation of gas chromatography instruments. Part I. Automated peak identification in the chromatograms of standard test mixtures 65
Du, H.
— and Stillman, M.J.
Automation of gas chromatography instruments. Part II. A knowledge-based system for performance assessment 77
Dumazet, I., see Mlika, R. 283
Durst, R.A., see Lee, M. 23

- Fabry, P., see Cretin, M. 291
- Fatibello-Filho, O.
— and da Cruz Vieira, I.
Flow injection spectrophotometric determination of sulfite using a crude extract of sweet potato root (*Ipomoea batatas* (L.) Lam.) as a source of polyphenol oxidase 51
- Fletouris, D.J., see Botsoglou, N.A. 115
- Frank, A., see Danielsson, R. 211
- Fukumura, S., see Kiba, N. 205
- Furusawa, M., see Kiba, N. 205
- Gáspár, A.
— and Posta, J.
On-line sorption preconcentration of chromium(VI) and its determination by flame atomic absorption spectrometry 151
- Gómez-Hens, A., see Aguilar-Caballeros, M.P. 173
- Gammelgaard, B.
—, Liao, Y. and Jøns, O.
Improvement on simultaneous determination of chromium species in aqueous solution by ion chromatography and chemiluminescence detection 107
- Gamoudi, M., see Mlika, R. 283
- Garrigues, S., see Daghbouche, Y. 97
- Gentili, A., see Laganà, A. 87
- Gil, P., see Peris, M. 249
- Gong, B., see Chang, X. 143
- Gong, X., see Ni, Y. 163
- Gooijer, C., see Kozin, I.S. 181
- Guascito, M.R., see Casella, I.G. 333
- Guillaud, G., see Mlika, R. 283
- Haghighi, B.
— and Safavi, A.
Simultaneous flow injection determination of iron(II) and iron(III) with opto-electrochemical detection 43
- Hauser, P.C., see Kappes, T. 129
- Igarashi, S., see Kawakami, T. 159
- Ioannou, P.C., see Drakopoulos, A.I. 197
- Itagaki, A., see Kiba, N. 205
- Ivanova, E.
—, Yan, X.-P. and Adams, F.
Determination of bismuth in cod muscle, lake and river sediment by flow injection on-line sorption preconcentration in a knotted reactor coupled with electrothermal atomic absorption spectrometry 7
- Jøns, O., see Gammelgaard, B. 107
- Jacobsen, H.S., see Carlsson, K. 35
- Jaffrezic-Renault, N., see Mlika, R. 283
- Jiang, J.-H.
—, Wang, J.-H., Chu, X. and Yu, R.-Q.
Clustering data using a modified integer genetic algorithm (IGA) 263
- Jiang, Z.
—, Liu, X., Zhao, M. and Mo, W.
Novel photochemical voltammetric method for the determination of traces of iron in tea 359
- Kang, T.-F.
—, Shen, G.-L. and Yu, R.-Q.
Voltammetric behaviour of dopamine at nickel phthalocyanine polymer modified electrodes and analytical applications 343
- Kappes, T.
— and Hauser, P.C.
Potentiometric detection in capillary electrophoresis with a metallic copper electrode 129
- Karlberg, B., see Carlsson, K. 35
- Karlberg, B., see Pettersson, Å.K. 241
- Katsu, T.
—, Xu, D., Tsuji, K. and Nagamatsu, T.
Tris(2-ethylhexyl) phosphate and tricresyl phosphate as new neutral carriers for organic ammonium ion-selective membrane electrodes 301
- Kawakami, T.
— and Igarashi, S.
Asymmetric porphyrin derivative having one reactive site as a highly sensitive spectrophotometric reagent for nitrite 159
- Keenan, F.
—, Cooke, C., Cooke, M., Pennock, C. and the ALSPAC Team
Correlation of the antimony concentration of umbilical cord and infant hair measured by hydride generation-atomic fluorescence spectrometry 1
- Kiba, N.
—, Itagaki, A., Fukumura, S., Saegusa, K. and Furusawa, M.
Highly sensitive flow-injection determination of glucose in plasma using an immobilized pyranose oxidase and a chemiluminometric peroxidase sensor 205
- Kozin, I.S.
—, A. Larsen, O.F., de Voigt, P., Gooijer, C. and Velthorst, N.H.
Isomer-specific detection of azaarenes in environmental samples by Shpol'skii luminescence spectroscopy 181
- Kremer, B., see van Staden, J.F. 59
- Laganà, A.
—, Bellagamba, G., D'Ascenzo, G., Gentili, A. and Marino, A.
Evaluation of ticlopidine in human serum and plaque by liquid chromatography/atmospheric pressure chemical ionization mass spectrometry 87
- Lamartine, R., see Mlika, R. 283
- Lee, M.
—, Durst, R.A. and Wong, R.B.
Comparison of liposome amplification and fluorophore detection in flow-injection immunoanalyses 23
- Li, S., see Chang, X. 143
- Liao, Y., see Gammelgaard, B. 107
- Lim, T.-K.
—, Nakamura, N. and Matsunaga, T.
Flow immunoassay using a cation exchange column and fluorescence-labelled antibody for detection of allergen 29
- Lima, A.W.O.
—, Nascimento, V.B., Pedrotti, J.J. and Angnes, L.
Coconut-based plant tissue reactor for biosensing of catechol in flow injection analysis 325
- Linsky, S.M., see van Staden, J.F. 59
- Liu, X., see Jiang, Z. 359
- Lu, J., see Wang, J. 275

- Luo, D., see Wang, J. 275
- Luque de Castro, M.D., see Papaefstathiou, I. 135
- Lvovich, V.
 - and Scheeline, A.
 - Simultaneous superoxide and hydrogen peroxide detection in peroxidase/NADH oscillator 315
- Lynggaard Jensen, A., see Carlsson, K. 35
- Mafatle, T.
 - and Nyokong, T.
 - Use of cobalt(II) phthalocyanine to improve the sensitivity and stability of glassy carbon electrodes for the detection of cresols, chlorophenols and phenol 307
- Mantis, A.I., see Botsoglou, N.A. 115
- Marino, A., see Laganà, A. 87
- Matsunaga, T., see Lim, T.-K. 29
- Mlika, R.
 - , Dumazet, I., Gamoudi, M., Lamartine, R., Ben Ouada, H., Jaffrezic-Renault, N. and Guillaud, G.
 - Membranes containing new large size calixarenes on semiconductor substrates for chemical microsensors 283
- Mo, W., see Jiang, Z. 359
- Nagamatsu, T., see Katsu, T. 301
- Nakamura, N., see Lim, T.-K. 29
- Narinesingh, D.
 - , Saroop, S. and Ngo, T.T.
 - A fluorescence flow injection method for the quantitation of cyanide: Its application to the quantitation of bound cyanide in cassava using an immobilized linamarase bioreactor 189
- Nascimento, V.B., see Lima, A.W.O. 325
- Ngo, T.T., see Narinesingh, D. 189
- Ni, Y.
 - and Gong, X.
 - Simultaneous spectrophotometric determination of mixtures of food colorants 163
- Ni, Y.
 - and Wu, Y.
 - Simultaneous determination of mixtures of metal ions by complexometric titration and multivariate calibration 233
- Nyokong, T., see Mafatle, T. 307
- Ors, R., see Peris, M. 249
- Pérez-Bendito, D., see Aguilar-Caballeros, M.P. 173
- Papaefstathiou, I.
 - and Luque de Castro, M.D.
 - Nitrogen speciation analysis in solid samples by integrated pervaporation and detection 135
- Pedrotti, J.J., see Lima, A.W.O. 325
- Pennock, C., see Keenan, F. 1
- Peris, M.
 - , Ors, R., Bonastre, A., Gil, P. and Serrano, J.
 - Advanced application of rule nets to the automation of chemical analysis systems 249
- Petersson, Å.K.
 - and Karlberg, B.
 - Simultaneous determination of orthophosphate and arsenate based on multi-way spectroscopic-kinetic data evaluation 241
- Petersson, L.R., see Danielsson, R. 211
- Posta, J., see Gáspár, A. 151
- Psomas, I.E., see Botsoglou, N.A. 115
- Pu, Q., see Chang, X. 143
- Raman, B., see Bhoir, I.C. 123
- Saegusa, K., see Kiba, N. 205
- Safavi, A., see Haghighi, B. 43
- Salvi, A.M., see Casella, I.G. 333
- Saroop, S., see Narinesingh, D. 189
- Scheeline, A., see Lvovich, V. 315
- Serrano, J., see Peris, M. 249
- Shen, G.-L., see Kang, T.-F. 343
- Sherwood, J.E., see Turoczy, N.J. 15
- Stenström, T., see Carlsson, K. 35
- Stillman, M.J., see Du, H. 65
- Stillman, M.J., see Du, H. 77
- Su, Z., see Chang, X. 143
- Sundaresan, M., see Bhoir, I.C. 123
- Taljaard, R.E., see van Staden, J.F. 59
- Tian, B., see Wang, J. 275
- Tsuji, K., see Katsu, T. 301
- Turoczy, N.J.
 - and Sherwood, J.E.
 - Modification of the van den Berg/Ruzic method for the investigation of complexation parameters of natural waters 15
- van Staden, J.F.
 - , du Plessis, H., Linsky, S.M., Taljaard, R.E. and Kremer, B.
 - Influence of different volume ratios on the isodispersion point in sequential injection analysis 59
- Velthorst, N.H., see Kozin, I.S. 181
- Walmsley, A.D.
 - Improved variable selection procedure for multivariate linear regression 225
- Wang, J.
 - , Lu, J., Wang, J., Luo, D. and Tian, B.
 - Simultaneous measurements of trace chromium and uranium using mixed ligand adsorptive stripping analysis 275
- Wang, J., see Wang, J. 275
- Wang, J.-H., see Jiang, J.-H. 263
- Wong, R.B., see Lee, M. 23
- Wu, Y., see Ni, Y. 233
- Xu, D., see Katsu, T. 301
- Yan, X.-P., see Ivanova, E. 7
- Yang, D., see Chang, X. 143
- Yu, R.-Q., see Jiang, J.-H. 263
- Yu, R.-Q., see Kang, T.-F. 343
- Zahir, M.H.
 - and Ab Ghani, S.
 - Fabrication of directly polymerized 4-vinylpyridine onto a pencil 2B graphite paste electrode for glucose monitoring 351
- Zhao, M., see Jiang, Z. 359

